

TECHNICAL SHEET

Edit in: January 2020

Anti slip overshoe with safety cap





REF « VIP »

- O Composition: Rubber and protective toe cap made of aluminium/titanium.
- Professional use: Slip resistance and toes protection. Secure moves in the work place.
- ✓ Outstanding grip coefficient
- √ Toe cap made of aluminium/titanium. Ultra light!
- ✓ Multidirectional straps: secure hold of the foot
- √ Only 4 sizes to cover from 34 to 47
- ✓ Color code to track sizes
- ✓ Can be adapted to most kind of footwear
- ✓ Reusable
- ✓ Tiger-grip ® anti slip sole with self cleaning studs

Certifications

PPE REGULATION (EU): 2016/425

(personal protective equipment)

(CE)

EUROPEAN STANDARDS

CE Certification: 0075/1344/161/01/18/0113

- NF EN ISO 20345 / 2011
- O NF EN 12568
- O NF EN 13287
- Oil resistance (FO)



CE PPE CERTIFIED Risk II

Certified Organism: CTC N° 0075/69367 Lyon - France



AMERICAN STANDARDS

Certification process ongoing

NF EN 13287 – Anti slip properties

Certification SRC: SRA + SRB

SRB: Anti-slip coefficient on steel floors with glycerin

SRA: Anti-slip coefficient on ceramic floors with detergent

- 1				
	Surface	Contact with	Standard ISO 13287	VISITOR PREMIUM results
	Steel	Oil	SRB = 0.18	+ 110 % = 0.38
	Ceramic	Detergent	SRA = 0.32	+40% = 0.46

• NF EN 12568 - Toe Cap resistance:

200 joules resistance and resistant to crushing under max. Load of 1500 DaN

Physico-mechanical tests								
Test	Standard	VISITOR PREMIUM results	Unit					
Shock resistance	EN ISO 20344	20.5	mm					
Crushing resistance	EN ISO 20344	26	mm					
FO Resistance	EN ISO 20344	-0.1	%					

Antistatism: The overshoe meets antistatic and ESD properties.

The shoe and overshoe combination must necessarily be tested by the user

Sizes



		S			M				L	XL		L		
EU Sizes	34	35	36	37	38	39	40	41	42	43	44	45	46	47
UK Sizes	1	2	3	4	5	6	6,5	7	8	9	10	10,5	11	12
US Woman	4	5	6	7	7,5	8	8,5	9,5	10	11				
US Man					5,5	6	7	8	8,5	9,5	10	11	11,5	12,5

For a proper use of the overshoes, it is important to ensure that the overshoes fit neatly over the user's footwear

Storage and maintenance



- Hand washable Let them dry naturally
- Store in a dry place, away from temperature variation
- Do not use below a temperature of -20°c.

Design and manufacturing: TIGER-GRIP ENGINEERING



